

---

# **Freightliner**

## **Spindle**

### **Adjustment Nut**

*Heavy Duty TechTips.*

*STEMCO Endorses TMC?S Recommended Wheel Bearing Adjustment. What is the torque spec for the drive axle nut and lock nut?.*

*Federal Mogul Resource Center Torque Specification Look up. 1 9 06 13 Freightliner Trucks.*

*PreSet Hub Conmet.*

*Freightliner Spindle Knuckle Front for sale on.*

*Dana Spicer Steer Axles Eaton. Unitized Wheel Bearing Nut System MacLean FoggCS. SuBJecT Hub Maintenance Procedures liT no L496 daTe. A Higher Standard of Performance.*

*Free Download Here pdfsdocuments2 com. Pro Torq® Axle Spindle STEMCO.*

---

*freightliner rear axle eBay. Tapered Roller Bearing Adjustment Procedure RP 618A. Daimler Trucks Recall Campaign North America LLC. Thu 24 May 2018 15 58 00 Download Freightliner Cascadia. Tapered Roller Bearing Adjustment Procedure RP618A. Spindle Nut Torque Specifications Speedway Auto Parts. How to adjust a Wheel Bearing on a Front Non Drive Axle. Torque Specification Guide SKF com. Manual Wheel Bearing Adjustment Procedures.*

*BEARING ADJUSTMENT Home for Truck Parts. Wheel end bearing and seal installation guide SKF com. www truckinginfo com. Triseal Corporation. Axle Nuts St Louis Truck Driveshafts Suspensions. HEAVY DUTY Service Manual MD Conmet. Product Up UD*

---

69 date [truckpartsetc.com](http://truckpartsetc.com).

*MERITOR WHEEL BEARING ADJUSTMENT SYSTEM FOR THE AFTERMARKET. Freightliner Front Axles 33 JustAnswer.*

*Car amp Truck Axle Parts for Freightliner eBay. Service Manual Eaton. 32a Axle Nut Catalog QBrand com. This sample chapter is for review purposes only Copyright. OTO HUI com Rack and Pinion in the Freightliner Cascadias. Wheel Bearing Preload and Spindle Nut Torque Specs for. Properly torque a ConMet PreSet hub YouTube. Preload Nut Adjustment and Pulley Adjustment Sherline. Axle Nuts Triseal Corporation. Wheel bearing torque School Bus Fleet Magazine Forums. Catalog 457377 2014 SKF. DRIVE AXLE FULL FLOATING orcfab.com. Axle Wheel Bearing Installation*

---

*Specifications. TRUCK and TRAILER WHEEL SPINDLE NUTS. Hubs with Pre adjusted Bearings Proper field installation*

### ***Heavy Duty TechTips***

*June 21st, 2018 - Heavy Duty TechTips set right turning the spindle nut provides axial adjustment of the bearing. Tightening the nut reduces bearing endplay and may even put the*

**'STEMCO Endorses TMC's Recommended Wheel Bearing Adjustment**

*June 21st, 2018 - Tighten the adjusting nut to a torque of 200 ft lbs STEMCO assumes no responsibility for bearing warranty. Steering Spindle Nut 100 ft lbs 1 3'*

**'What is the torque spec for the drive axle nut and**

---

**lock nut?**

June 21st, 2018 - What is the torque spec for the drive axle nut and lock nut on a mt55 freightliner The tread count is 12 per inch on the shaft'

**'Federal Mogul Resource Center Torque**

**Specification Look up**

June 18th, 2018 - Federal Mogul eCatalog Resource Center for Passenger Cars and Light Truck Small Engine Performance Marine Power Sport Commercial and Agricultural and Industrial as well as Technical Information'

**'1 9 06 13 Freightliner Trucks**

June 16th, 2018 - 1 9 06

**13 SUBJECT DATE**

**Replacement of the Single or Rearmost Axle Yoke and Seal ? Model 2 Axle**

**September 2013 If the yoke nut is round and slotted'**

---

**'PreSet Hub Conmet**  
June 18th, 2018 - of the  
PreSet® hub assembly which  
if not avoided could  
result in death or serious  
injury Torque the spindle  
nut to the following  
torque values 6'

**'Freightliner Spindle**  
Knuckle Front for sale on  
June 17th, 2018 - Easily  
find what you need from  
thousands of parts  
available Used rebuilt amp  
salvage engines  
transmissions rears cab  
and body amp more'

**'Dana Spicer Steer Axles**  
**Eaton**

June 8th, 2018 -  
FREIGHTLINER 14 Spindle  
Washer 2 815623 815623  
815623 815623 15 Jam Nut  
13 Nut Stop Screw 2 90208  
90208 90208 90208  
90208 **'Unitized Wheel**  
**Bearing Nut System MacLean**

---

FoggCS

June 21st, 2018 - Unitized Wheel Bearing Nut System through the retainer cage adjustment slot Be sure the spindle slot is clean and free of burrs and foreign material'' SuBJecT Hub Maintenance Procedures liT no L496 daTe

June 18th, 2018 - Standard Three or Four piece Spindle Nut Assembly 3 piece nut system ? Inner adjusting nut HendricksonTrailer Wheel End Systems Wheel End Maintenance'

***'A Higher Standard of Performance***

June 8th, 2018 - Axle Spindle Nut ? Sentinel® or The Pro Torq® axle nut provides accurate bearing adjustment increasing wheel end life Freightliner HM212049 X 555 5098'

---

**'Free Download Here**

**[pdfsdocuments2.com](http://pdfsdocuments2.com)**

*May 21st, 2018 - Wheel*

*Bearing Torque Specs*

*Freightliner pdf Free*

*Download Here How nut*

*Install the wheel hub and  
bearing onto spindle and  
Torque the inner adjusting  
nut'*

**'Pro Torq® Axle Spindle**

**STEMCO**

*June 21st, 2018 - STEMCO*

*Pro Torq® Axle Spindle*

*Nuts provide accurate*

*bearing adjustment*

*increasing wheel end*

***life'' [freightliner rear  
axle ebay](http://freightliner-rear-axle.ebay)***

*June 20th, 2018 - Find*

*great deals on eBay for*

*freightliner rear axle*

*Shop with confidence'*

**'Tapered Roller Bearing**

**Adjustment Procedure RP**

---

**618A**

**June 20th, 2018 - If required loosen the inner adjusting nut just enough for Tapered Roller Bearing Adjustment Procedure RP 618A For one piece spindle nut systems'**

**'Daimler Trucks Recall Campaign North America LLC**

**May 28th, 2018 - a four piece spindle nut set a hub oil and adjusting nut inspection will be done to determine Recall Campaign North America LLC 11''Thu 24 May 2018 15 58 00**

**Download Freightliner Cascadia**

**June 6th, 2018 - Thu 24**

**May 2018 15 58 00 GMT  
freightliner spindle  
adjustment nut pdf View  
and Download Freightliner  
Cascadia CA113SLP  
maintenance manual online'**

**'Tapered Roller Bearing**

---

---

## **Adjustment Procedure**

### **RP618A**

**June 22nd, 2018 - Tapered Roller Bearing Adjustment Procedure RP618A For one piece spindle nut systems torque the nut to a minimum of 250 ft lbs Do not back off the spindle nut**

***'Spindle Nut Torque Specifications Speedway***

### ***Auto Parts***

***June 19th, 2018 - Spindle Nut Torque Specifications***

***Torque Specifications are Important To ensure that you have the correct torque for the specific vehicle always refer to the***

*****'How to adjust a Wheel Bearing on a Front Non Drive Axle*****

***June 10th, 2018 - How to adjust a Wheel Bearing on a Front Torque the adjusting nut to How and what to look for when a KingPin goes bad for***

---

*freightliner'' Torque*  
**Specification Guide SKF**  
**com**

June 20th, 2018 - Torque specification guide Form 457377 April Wheel Bearing adjustment procedures listed for trucks are for models The hub nut secures the spindle to the **Manual Wheel Bearing Adjustment Procedures**

June 22nd, 2018 - Manual Wheel Bearing Adjustment Procedures For one piece spindle nut systems torque the nut to a minimum of 300 ft lbs Do not back off the spindle nut'

**'BEARING ADJUSTMENT Home for Truck Parts**

June 17th, 2018 - PRO TORQ® Spindle Nut is sold as an assembly with the keeper in place DO NOT attempt to place the nut on the spindle or More specific bearing

---

adjustment'

'Wheel end bearing and seal installation guide  
SKF com

June 18th, 2018 - Wheel end bearing and seal installation guide 2

Remove adjusting nut Push the assembly back on the spindle 5 Remove the adjusting nut' 'www truckinginfo com

June 14th, 2018 - www truckinginfo com' 'Triseal Corporation

June 22nd, 2018 - Triseal Heavy Duty Spindle This nut will eliminate the three piece jamming style type adjusting nut systems and two piece models

Freightliner

Kenworth' 'Axe Nuts St Louis Truck Driveshafts Suspensions

June 21st, 2018 - Stemco's Pro Torq axle nuts may

---

**provide the highest degree of Meritor instructions for bearing adjustment with standard axle nuts Pro Torq Axle Spindle Nut'**

**'HEAVY DUTY Service Manual  
MD Conmet**

June 18th, 2018 - manually adjust wheel end play These components are delivered as a complete assembly reducing the ? An integrated spindle nut that eases installation' **'Product Up UD 69 date truckpartsetc com**

June 22nd, 2018 - Product Up UD 69 date Up Back off the adjusting nut inner nut assembly hub or spindle If this happens during operation the wheel' **'MERITOR WHEEL BEARING ADJUSTMENT SYSTEM FOR THE AFTERMARKET**  
June 18th, 2018 - **MERITOR®**

---

**WHEEL BEARING ADJUSTMENT  
SYSTEM FOR Adjustment  
Solution and manufacturing  
company in precision  
Temper Loc is the  
exclusive spindle nut used  
in'**

**'Freightliner Front Axles  
33 JustAnswer  
May 19th, 2018 - Remove  
the steering knuckle and  
spindle assem Install the  
brake air chambers and  
slack adjust ers on the  
axle 33 05 Freightliner  
Front Axles' 'Car amp Truck  
Axe Parts for  
Freightliner eBay  
June 18th, 2018 - Shop  
from the world s largest  
selection and best deals  
for Car amp Truck Axe  
Parts for Freightliner  
Shop This is a genuine  
Dana Spicer rear hub nut  
This is the ' 'Service  
Manual Eaton**

---

June 18th, 2018 - Service  
Manual Steer and Drive LMS  
Drive Axle Spindle Nut  
Installation Procedure 32  
LMS Assembly 34 Pro Torq  
Locking Nut System with  
**LMS '32a Axle Nut Catalog**

QBrand com

June 22nd, 2018 - 32a Axle  
Nut Catalog SPINDLE NUT  
LOCK WASHER POSITIVE  
ADJUSTMENT Thread Size 3 1  
4 12 POS ADJ INNER NUT  
LOCK WASHER OUTER NUT'

'This sample chapter is  
for review purposes only  
Copyright

June 19th, 2018 - This  
sample chapter is for  
review purposes only  
Pinion nut Pinion flange  
Slinger Bolt Axle  
Adjusting nut Side bearing  
Side gears Ring gear'

'OTO HUI com Rack and  
Pinion in the Freightliner  
Cascadias

---

June 21st, 2018 - Adjust each tie rod length to obtain the specified Tighten the nut 30 to 35 lbf Documents Similar To OTO HUI com Rack and Pinion in the Freightliner ''Wheel Bearing Preload and Spindle Nut Torque Specs for

June 21st, 2018 - Spindle nut torque for rockwell 2 5 ton axle Note Wheel must turn freely prior to wheel bearing adjustment Adjustment procedures for front and rear wheel bearings are the ''Properly torque a ConMet PreSet hub YouTube

June 11th, 2018 - This video shows how to properly torque a ConMet PreSet hub on How to properly install and torque an SKF spindle nut Adjusting wheel '

---

**'Preload Nut Adjustment and Pulley Adjustment**

**Sherline**

June 12th, 2018 - **Preload Nut Adjustment and Pulley Adjustment Spindle Preload Adjustment** Adjust the preload nut until it turns only about one and a half

**Axle Nuts Triseal**

**Corporation**

June 16th, 2018 - **Products gt Axle Nuts This first true single piece spindle nut** This nut will eliminate the three piece jamming style type adjusting nut systems and two

**Wheel bearing torque School Bus Fleet Magazine**

**Forums**

June 21st, 2018 - **Torque the spindle nut to 50 ft lbs while rotating the wheel two or more full turns to seat back off adjusting nut 1 4 turn I rechecked our freightliner**

---

manual '

**'Catalog 457377 2014 SKF**

June 21st, 2018 - Catalog 457377 2014 Supercedes It will also leave your spindle nut under or over torque resulting in see pages 26 28 ? Adjustment procedure codes see '

**'DRIVE AXLE FULL FLOATING orcfab com**

June 18th, 2018 - DRIVE AXLE FULL FLOATING 1988 Jeep Cherokee adjusting nut in steps Install lock ring if used Install spindle lock nut if used and '

**'Axe Wheel Bearing Installation Specifications**

June 21st, 2018 - Final Adjusting Nut Torque c Spindle Thread Diameter Jam Nut Torque Specification Acceptable End Play Range c Drive axles without lock washers

---

200 lb ft 272 Nm' 'TRUCK  
amp TRAILER WHEEL SPINDLE  
NUTS

June 22nd, 2018 - TRUCK  
amp TRAILER WHEEL SPINDLE  
NUTS This nut will  
eliminate the three piece  
jamming style type  
adjusting nut systems and  
two piece models that  
require locking ' 'Hubs with  
*Pre adjusted Bearings*  
*Proper field installation*

June 19th, 2018 - ConMet  
achieves optimum bearing  
adjustment by machining is  
quickly and easily  
installed on to the  
spindle and then the  
retaining nut is torqued  
to 300 ft lbs'

'  
  
Copyright Code :  
[ri6Kjts8HQNSR70](#)